



CHEMISTRIE ORDER FORM

Please note we quote a 5-7 Day Turnaround

MAINLINE OPTICAL CONNECTIONS

Making connections for over 40 years

Please enclose the frame for Chemistrie. Fill in your details below to receive your completed frame.

Acc Ref: _____ Company Name: _____

Address: _____

Postcode: _____ Telephone: _____


Patient Reference: _____

Frame Details: _____

Lenses Checked for Marks/Scratches: Yes No

Special Instructions: _____

Please mark on the picture where any existing scratches on the lenses are located



LENS SELECTION: Please choose which lens type and colour you would like. By ticking more than one option, multiple clips will be made.

Polarised Colours: (Please tick)



Mirrored Colours: (Please tick)



Graduated Colours: (Please tick)



Lens Style: (Please tick)

- Readers
- Chemistrie Blue Light
- 3-D

For Reader and Chemistrie blue light please fill in the details on the reverse

SELECT YOUR FITTINGS FOR THE CHEMISTRIE:

Magnet Selection




Bridge Selection



Or let us choose which fittings best matches the frame

Jewel Colours: (Please tick)



Please note due to the risk of damage when assembling and disassembling rimless or Lindberg frames we require these to be disassembled before they are sent to us. We are unable to create the Chemistrie on polycarbonate and glass lenses. Please send all frames recorded delivery to ensure they are not lost. All frames returned are covered up to the value of £250.



MAINLINE OPTICAL CONNECTIONS

Making connections for over 40 years

Powers:

(Please Tick)

Reader: +0.50 +0.75 +1.00 +1.25 +1.50 +1.75 +2.00 +2.25 +2.50

Blue light: +0.50 +0.75 +1.00 +1.25 +1.50 +1.75, +2.00

Please be aware that while we exercise the utmost care during the Chemistrie retrofitting process, the delicate nature of this work means that there is a possibility of damage to the frame or lenses. This could include scratches, cracks, or other forms of damage that may occur despite our best efforts to prevent them. Unfortunately, we are unable to assume responsibility for any such incidents that may arise during the process.

In cases where we assess that removing the lenses poses a high risk of damage, we will refrain from proceeding and will return the frame to you so that it can be dismantled safely on your end. We appreciate your understanding and cooperation in these situations.

For office use only

Base Curve:

Upsize of Mask:


Lens thickness at magnets:

Drill depth:

Date:

Office Account Manager

Height of the magnet and bridge holes



Magnet size Lenses:

Magnet size Mask:

Bridge size

Bridge colour

Spacers:

Job completed by: